

SPECIFICATION

Customer: _____
Product Description: 4" TFT LCD MODUEL
Customer Model Name.: _____
Customer P/N No.: _____
Model Name.: AN-4.0LAP
Date: 2005-12-8

Approved By Customer

ANCO ELECTRONICS CO., LTD

GUANGZHOU DADAO NAN 325 HAO BIHAI DASHA 1107 SHI

GUANGZHOU CHINA.

TEL: 020 3422 4237 FAX: 020 3422 4233

Approved By		Checked By		Written By	
--------------------	--	-------------------	--	-------------------	--

Catalogue

1. Profile	3
2. Main parameter	3
3. Wiring drawing	4
4. Parts position drawing	5
5. Structure drawing	6-7

1. Profile:

AN-A4.0LAP color TFT-LCD module is made up of AN-A4.0LAP driving board and PA040XS1 panel, it accepts PAL and NTSC system and can automatic switch. It adopt IC control electrical source, about the Back light, we use IC control its current in invariable that protect the B/L 's abnormity of power supply, and it can automatic close when no signal input.


It is applied for,

- Normal electrical goods
- Instrument and measuring equipment
- Machine equipment
- Seeing and hearing equipment (Car display、portable DVD、Long-distant terminal、LCD-TV)
- Home application (Video-door bell、 Video phone、 Digital camera)
- Inapplicable hi-tech goods that need high dependability & stability & accuracy

2. Main parameter:


- Product name: 4.0" TFT-LCD module
- Product model: AN-A4.0LAP
- Display: 4.0" TFT-LCD (PRIME)
- BACKLIGHT: 10 LAMP LED
- Resolution: 960 (H) × 234 (V)
- Viewing area (top/bottom/left/right): (15/35/50/50)
- Bright: 330 LUX
- System format: PAL/NTSC automatic switch
- Image function: left to right & up to down reversal control
- Video input: 1.0Vp-p 75 ohm
- Power supply: DC 12V ±15% 220 ±20mA
- Dimension of display(mm): 81.12 (H) × 61.77 (V)
- The overall dimension of LCD (mm): 96 (W) × 75.98 (H) × 6.22 (D)
- The overall dimension of PCB(mm): 102.23(W) × 82.30 (H) × 9.6 (D)
- Operating Temp: -20~60°C
- Relative humidity: 5~95% RH
- Storage temp: -25°C~+70°C

3. Wiring drawing:



5. Structure drawing:

5.1 LCD



5.2 PCB:

